

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) MXBON[®] 21382

Product identifier	
Product name :	MXBON 21382
Relevant identified uses	of the substance or mixture and uses advised against
Relevant identified uses :	Adhesives, binding agents
Uses advised against :	No additional information available
Details of the supplier of	f the safety data sheet
Manufacturer :	Cartell Chemical Co., LTD
Address :	No. 18 Cheng Gong Street, Min-shyong Industrial Park, Chia-yi Hsien, (621) Taiwan
Tel :	886-5-220-3715
Fax :	886-5-220-3720
E-mail :	sales@mxbon.com
Emergency telephone nu	umber
Tel : 886-5-2	220-3715
Fax : 886-5-2	220-3720
zards identification	
Classification of the sub	stance or mixture
	o Regulation (EC) No. 1272/2008 [CLP]
Skin corrosion/irritation, C	
Serious eye damage/eye	
Specific target organ toxic	nity —
	ry 3, Respiratory tract irritation H335
Full text of H statements :	
	, human health and environmental effects roduct does not present any particular risk, provided it is handled in accordance wi I safety practice.
Label elements	
Labelling according to Regu	lation (EC) No. 1272/2008 [CLP]
Hazard pictograms (CLP) :	
	•
Signal word (CLP) :	GHS-07 Warning
Hazardous ingredients :	Ethyl 2-cyanoacrylate
C C	H315 - Causes skin irritation.
Hazard statements (CLP) :	H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.
Precautionary statements (C	CLP): P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash hands, forearms and face thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear protective gloves/protective clothing/eye protect
	protection.

+48123121212

+91-83800-71214 +66-2-1706998

+886-5-2203715 +86-20-3921-8900 +44(0)1536-264222

MXB

Precautionary Statement (Response) [CLP] :	 P302+P352 - IF ON SKIN: Wash with plenty of water. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a POISON CENTRE or doctor if you feel unwell. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.
Precautionary Statement (Storage) [CLP] :	P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up.
Precautionary Statement (Disposal) [CLP] :	P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
EUH-statements	 EUH202 - Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children. EUH208 - Contains HYDROQUINONE(123-31-9). May produce an allergic reaction.

2.3 Other hazards

No additional information available

3. Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ETHYL-2-CYANOACRYLATE	(CAS No.) 7085-85-0 (EC No.) 230-391-5 (EC Index-No.) 607-236-00-9	70 - 100	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
HYDROQUINONE	(CAS No.) 123-31-9 (EC No.) 204-617-8 (EC Index-No.) 604-005-00-4	<= 0.1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Skin Sens. 1, H317 Muta. 2, H341 Carc. 2, H351 Aquatic Acute 1, H400 (M=10)

Specific concentration limits							
Name	Product identifier	Specific concentration limits					
	(CAS No.) 7085-85-0 (EC No.) 230-391-5 (EC Index-No.) 607-236-00-9	(C >= 10) STOT SE 3, H335					
Full text of H-statements: see section 1							

4. First aid measures

4.1 Description of first aid measures				
First-aid measures general	:	Call a poison center or a doctor if you feel unwell.		
First-aid measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing.		
First-aid measures after skin contact	:	Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.		
First-aid measures after eye contact	:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		

MXBON

MXBON Taiwan **MXBON** China +886-5-2203715 +86-20-3921-8900

MXBON UK +44(0)1536-264222

MXBON Poland +48123121212

MXBON India

www.mxbon.com

MXBON Thailand +66-2-1706998 +91-83800-71214

For the most direct access to local sales and technical support visit: www.mxbon.com

First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2 Most important symptoms and effe	
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Eye irritation.
•	I attention and special treatment needed
Treat symptomatically	
5. Firefighting measures	
5.1 Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2 Special hazards arising from the se	bstance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3 Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equivalence of Self-contained breathing apparatus. Complete protective clothing.
5. Accidental release measures	
6.1 Personal precautions, protective e	uipment and emergency procedures
6.1.1 For non-emergency personnel	
Emergency procedures	: Avoid breathing dust/fume/gas/mist/vapours/spray.
6.1.2 For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective eq
6.2 Environmental precautions	
Avoid release to the environment.	
6.3 Methods and material for containm	ent and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site
6.4 Reference to other sections	
For further information refer to section 1	
7. For further information refer to sec	ion 13
7.1 Precautions for safe handling	
Precautions for safe handling	: Use only outdoors or in a well-ventilated area.
	Avoid breathing dust/fume/gas/mist/vapours/spray.
	Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiana magguras	: Wash contaminated clothing before reuse.
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2 Conditions for safe storage, includ	ng any incompatibilities
Storage conditions	: Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.
0	1484844 22
N (BON Taiwan MXBON China MXBC	WWW.M N UK MXBON Poland MXBON India MX

7.3 Specific end use(s)

No additional information available

8. Exposure controls/pers	sonal prot	ection		
8.1 Control parameters				
Ethyl Cyanoacrylate				
WEL TWA (mg/m ³)	WEL STE	EL (mg/m ³)	WEL STEL (ppm)	Regulatory reference
0.5 mg/m ³	1.5 r	mg/m ³	0.3 ppm	EH40/2005 (Third edition, 2018). HSE
8.2 Exposure controls				
Appropriate engineering	controls	: Ensure	e good ventilation of the work	station.
Hand protection		: protec	tive gloves.	
Eye protection		: Safety	glasses.	
Skin and body protection		: Wear	suitable protective clothing.	
Respiratory protection		: In case	e of insufficient ventilation, we	ar suitable respiratory equipment.
Environmental exposure	controls	: Avoid	release to the environment.	

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

• •		· ·
Physical state	:	Liquid
Appearance	:	Clear, colorless liquid
Colour	:	Pale yellow
Odour	:	sharp. Irritating
Odour threshold	:	No data available
рН	:	Not applicable
Relative evaporation rate (butylacetate=1)	:	No data available
Melting point	:	-22°C
Freezing point	:	No data available
Boiling point	:	> 200°C
Flash point	:	80-93.4°C (Method: Tag closed Cup)
Auto-ignition temperature	:	485°C
Decomposition temperature	:	Not applicable
Flammability (solid, gas)	:	Not applicable
Vapour pressure	:	Less than 0.2 mmHg
Relative vapour density at 20 °C	:	3
Relative density	:	1.1 g/cm ³
Solubility	:	Polymerizes in presence of water
Log Pow	:	Not applicable
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	3500~8500 cPs
Explosive properties	:	Product is not explosive
Oxidising properties	:	Product is not oxidizing
Explosive limits	:	Product is not explosive

9.2 Other information

No additional information available

WXBOU.

MXBON TaiwanMXBON ChinaMXBON UKMXBON PolandMXBON India+886-5-2203715+86-20-3921-8900+44(0)1536-264222+48123121212+91-83800-71214For the most direct access to local sales and technical support visit: www.mxbon.com

www.mxbon.com

10. Stability and reactivity

10.1 Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4 Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5 Incompatible materials

No additional information available

10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Information on toxicological effects		
Acute toxicity (oral)	:	Not classified
Acute toxicity (dermal)	:	Not classified
Acute toxicity (inhalation)	:	Not classified
Skin corrosion/irritation	:	Causes skin irritation
Serious eye damage/irritation	:	Causes serious eye irritation
Respiratory or skin sensitisation	:	Causes serious eye irritation
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
STOT-single exposure	:	May cause respiratory irritation
STOT-repeated exposure	:	Not classified
Aspiration hazard	:	Not classified

12. Ecological information

12.1 Toxicity

-	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

12.2 Persistence and degradability

No additional information available

12.3 Bioaccumulative potential

No additional information available

12.4 Mobility in soil

No additional information available

12.5 Results of PBT and vPvB assessment

No additional information available

<u>MXBOU.</u>

MXBON Taiwan +886-5-2203715

MXBON China +86-20-3921-8900 MXBON UK +44(0)1536-264222 MXBON Poland +48123121212

MXBON India +91-83800-71214

www.mxbon.com

MXBON Thailand +66-2-1706998

For the most direct access to local sales and technical support visit: www.mxbon.com

12.6 Other adverse effects

No additional information available

B. Disposal considerations Waste treatment methods	:	Dispose of contents/container sorting instructions	r in accordance with licensed collecto
I. Transport information			
ADR		IMDG	IATA
14.1 UN number			
3334		3334	3334
14.2 UN proper shipping name			
Not dangerous goods		Not dangerous goods	Aviation regulated liquid, n.o.s. (Cyanoacrylate)
14.3 Transport hazard class(es)			
Not applicable			
		9	9
14.4 Packing group		•	
Not applicable		Not applicable	Ш
14.5 Environmental hazards			
Dangerous for the environment : No		ous for the environment : No Marine pollutant : No	Dangerous for the environment : N
14.6 Special precautions for user			
Overland transport (ADR)			
Transport regulations	:	Not subject	
Classification code	:	M11	
EAC code	:	2Z	
Transport by sea (IMDG)			
Special provisions	:	960	
Stowage category	•	None	
Properties and observations		Not subject to the provisions o	f this Code
Air transport (IATA)	·		
PCA Excepted quantities		E1	
PCA Limited quantities		Y964	
PCA limited quantity max net quar	titv	30kg	
PCA minited quantity maximet quan PCA packing instructions	iiiy	964	
PCA packing instructions PCA max net quantity		904 100L	
• •			
CAO packing instructions		964	
CAO max net quantity		220L	
Special provisions		A27	
ERG code		9A	

Not applicable

MXBOU

www.mxbon.com

MXBON Thailand +66-2-1706998

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2 National regulations

No additional information available

15.2 Chemical safety assessment

No chemical safety assessment has been carried out

Full text of H- and EUH-	statements:	
Acute Tox. 4 (Oral)		Acute toxicity (oral), Category 4
Aquatic Acute 1		Hazardous to the aquatic environment — Acute Hazard, Category 1
Carc. 2		Carcinogenicity, Category 2
Eye Dam. 1		Serious eye damage/eye irritation, Category 1
Eye Irrit. 2		Serious eye damage/eye irritation, Category 2
Muta. 2		Germ cell mutagenicity, Category 2
Skin Irrit. 2		Skin corrosion/irritation, Category 2
Skin Sens. 1		Skin sensitisation, Category 1
STOT SE 3		Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H302		Harmful if swallowed.
H315		Causes skin irritation.
H317		May cause an allergic skin reaction
H318		Causes serious eye damage.
H319		Causes serious eye irritation.
H335		May cause respiratory irritation.
H341		Suspected of causing genetic defects
H351		Suspected of causing cancer.
H400		Very toxic to aquatic life.
EUH202		Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.
EUH208		Contains HYDROQUINONE(123-31-9). May produce an allergic reaction.
Manufacturer:		mical Co., LTD ng Gong Street, Min-shyong Industrial Park, Chia-yi Hsien, (621) Taiwan 3715
Document editor: Document create date:	MacGyver L June 6, 201	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

<u>MXBOU</u>

MXBON Taiwan +886-5-2203715

MXBON China +86-20-3921-8900

MXBON UK +44(0)1536-264222 MXBON Poland +48123121212

MXBON India +91-83800-71214

www.mxbon.com

MXBON Thailand +66-2-1706998